

# STANDS

## DT ST-2800B-ECO

CODE: 1734000002

**Kg** ↓ Loading Capacity  
**80kg**

**H** ↑ max height  
**2,80m**



excluding Adapter

## DT ST-3800B

CODE: 1734000004

**Kg** ↓ Loading Capacity  
**80kg**

**H** ↑ max height  
**3,80m**



including Adapter  
28mm to 35mm

### TECHNICAL DATA

Max load	80kg
Min load	25kg
Max height	2,80m
Min height	1,505m
Diam.ground space	1,20m
Tube diameter / int.	28mm
Weight	15kg
Number of sections:	2




### TECHNICAL DATA

Max load	80kg
Min load	25kg
Max height	3,80m
Min height	1,755m
Diam.ground space	1,20m
Tube diameter /int,	28mm
Weight	17kg
Number of sections:	2



- totally built of high-strength aluminum
- lightweight and compact
- absence of steel cables or cords that can break
- automatic safety system, No need of security Pins
- absence of knobs or other devices to be tightened to improve stability
- simple and fast installation opening tripod legs
- adjust to any level of height

- totally built of high-strength aluminum
- lightweight and compact
- absence of steel cables or cords that can break
- automatic safety system, no need of security pins
- absence of knobs or other devices to be tightened to improve stability
- simple and fast installation opening tripod legs
- adjust to any level of height



## DT ST-4500P

CODE: 1734000018

**2 YEARS**  
WARANTY

**Kg** ↓ Loading Capacity  
**120kg**

**H** ↑ max. height  
**4,5m**



including Adapter  
28mm to 35mm

## DT ST-5200P

CODE: 1734000009

**2 YEARS**  
WARANTY

**Kg** ↓ Loading Capacity  
**200kg**

**H** ↑ max. height  
**5,2m**



including Adapter  
28mm to 35mm

### TECHNICAL DATA

Max load	120kg
Min load	10kg
Max height	4,50m
Min height	1,60m
Diam.ground space	2,0m
Tube diameter / ext.	35mm
Weight	34kg
Number of sections:	3

### TECHNICAL DATA

Max load	200kg
Min load	10kg
Max height	5,20m
Min height	1,86m
Diam.ground space	2,0m
Tube diameter/ ext.	35mm
Weight	50kg
Number of sections:	3



# STANDS

## DT ST-A35-FF

CODE: 1734000013



Adapter Ø 35mm, Female/Female

## DT ST-TA250

CODE: 1734000014



Truss Adapter, 250mm Ø 30 mm

## DT ST-TA400

CODE: 1734000015



Truss Adapter, 300-400mm, Ø 35mm

## DT ST-PMC

CODE: 1734000019



Support plate Ø 35mm

## DT ST-A35-MM

CODE: 1734000012



Adapter Ø 35mm, Male/Male

## DT ST-A28-35

CODE: 1734000010



Adapter Ø 28mm to 35mm recommended for DT ST-2800B-ECO including Safety Clips

## DT ST-E450

CODE: 1734000011



Extension 450mm, Ø 35mm

## DT ST-B1500

CODE: 1734000016



T-Bar for Light equipment  
Stand adapter with fastening screw: Standard 35mm inner diameter  
Length: 1500mm | Tube diameter: 50mm

## DT ST-PMB

CODE: 1734000017



T-Bar for Light equipment incl. 6x Wingnut  
Stand adapter with fastening screws: Standard 35mm inner diameter  
Length: 1500mm