# TRUSS ACCESSORIES

#### **DT CUBE 1**



for DT 31 -> DT 44 M10 **L** 50mm **W** 50mm **H** 50mm

### DT HC-CUBE 1



incl. M 10 bolt, pin, clip

#### DT SCREW-M10 BPL



M10 Hexagon socket countersunk head screw for standard baseplates

1 20mm

#### DT HINGE SECTION



**DT BPS-8080** CODE: 1720000004



for DT 33, 34, 43, 44 material: steel | incl. half connectors

■800mm ₩800mm H 15mm

**KG** 72,5

#### **DT BPS-650** CODE: 1720000003



for DT 33, 34, 43, 44 material: steel | incl. half connectors

**L**650mm **W**650mm **H**15mm

**KG** 37,5

#### **DT BPS-4040**

CODE: 1720000005



for DT 23 & DT 31 Material: steel | incl. Half connectors

**L**400mm **W**400mm **H**10mm

DT COLUMN BASE 80X80

AL WITH CONNECTORS

**KG** 12,2

**U-FRAME DOLLY** 



Steel Base Plate (without Wheels) for U-Frames, DT34 & DT44 Trussing

DT DYNO WHEEL

CODE: 1724300003

#### **DT COLUMN BASE 40X40 AL WITH CONNECTORS**

CODE: 1720000017



for DT 33, DT 34

**■**400mm **₩**400mm **H**5mm

**KG** 3 kg

#### **DT COLUMN BASE 60X60 AL WITH CONNECTORS** CODE: 1720000018



for DT 33, DT 34

**L**600mm **W**600mm **H**5mm **KG** 6 kg

#### for DT 33, DT 34

**L**800mm **W**800mm

CODE: 1720000019

**⊞**5mm **KG** 10 ka

Round Truss Topper for F34 Square

L 1000mm W 1000mm H 50mm

**KC** 6.5

#### **DT 30-WALL MOUNT**

CODE: 1723400029



for DT 33 & DT34 Max. load capacity: 500 Kg

**■**250mm **■**310mm **■**400mm

56

**KG** 8,5

#### **DT 30/40-BPM-BW**

CODE: 1720000010



Base plate for blue wheel

■105mm **W**85mm

**⊞**5mm **KG** 0,1

#### **DT TRUSS ADAPTER-30/40**




Truss Hanger / Gizmo for DT 30-40 Max. Load: 1000 Kg

#### **BLUE WHEEL TENTE 100MM** CODE: 7031000052

#### **BLUE WHEEL BREAK TENTE** CODE: 7031000052 100MM



Size of plate: 105 Plate hole centres: 80/77 x 60 mm Plate hole: 9mm | Offset: 41mm Overall height: 128 mm



#### DT TRUSS CARRIER-29/60

CODE: 1749000001



for DT 31 -> 34

#### **TRUSS DOLLY 12**



the Duratruss Truss Dolly 12 is a tool to transport your truss. The platform holds up to 8 pieces of DT 34 truss.

To staple truss you may use the Duratruss DT Truss Carrier-29/60.



#### DT DOLLY-BPS 8080

CODF: 1720000014



to store 10x BPS 8080

L958mm W958mm

**11**819mm **KG** 63,0

#### **DT DOLLY-BPS 650**



to store 4x BPS 650

**■**725mm **₩**500mm

**∷** 725mm **KG** 39,0

#### DT TRUSS PROTECTOR SILVER

CODE: 1723400028



protects trusses from scratches and damage. | Color: silver For 48-51 mm tube diameter delivered quantities: 100 pcs Flame retardent

#### DT TR-2M CODE: 1720000011



Truck Ramp 2m

**■**2000mm **№**800mm (inside)

900mm (outside)

100mm **KG** 35

#### DT TR-3M CODE: 1720000012



Truck Ramp 3m

L3000mm W800mm

900mm (outside)

100mm

**KG** 52

#### DT TR-4M CODE: 1720000013



Truck Ramp 4m

■4000mm W800mm (inside)

100mm 900mm (outside)

**KG** 63

#### High qualitiy universal cone **ACF-SW/CONUS CASE** and adapter case with 9mm CODE: 1521000033 wall thickness and 2 inlays.

Separate storage compartment for tools

2 butterfly locks on the front 3 hinged case handles 2 inlays: 1x for 24x cone and 48 pins, 1x for 96 pins

Material: 9mm plywood Massive steel ball corners

#### DT TRUSS PROTECTOR **BLACK**

CODE: 1723400030



Protects trusses from scratches and damage. | Color: black For 48-51 mm tube diameter delivered quantities: 100 pcs Flame retardent

#### ACF-SW/PIN INLAY CODE: 1521000041



L420mm W234mm

**C**99mm **KG** 2,1

#### DT TRUSS GLOVES



CODE: 2124000013 Size: L CODE: 2124000014 Size: XL CODE: 2124000015 Size: XXL

High quality universal pin Inlay for Conus Case.

1 Inlay for 96 pins

Material: 9mm plywood

#### ACF-SW/CONUS / PIN INLAY High qualtiy universal conus /

H 323mm

**KG** 11,8

CODE: 1521000040

**L** 545mm **W** 238mm



L420mm W234mm

**H** 99mm **KG** 1,9

pin Inlay for Conus Case.

1 Inlay for 48x pins and 24x conus

Material: 9mm plywood

# TRUSS ACCESSORIES

#### **RUBBER STRIP WHITE**

CODE: 1749000016



each Set 25pc, with strap 29,6cm Ø4mm, UV-protection

#### **RUBBER STRIP BLACK**

CODE: 1749000017



each Set 25pc, with strap 29,6cm Ø4mm, UV-protection

# **SHACKLE 3250KG** CODE: 1744000012



with screw bolt, TYP SB/8 Max. Load: 3250kg

58

# **SHACKLE 1000KG** CODE: 1744000013



with screw bolt / splint, TYP SB-M/8

# **SHACKLE 3250KG** CODE: 1744000014



with screw bolt / splint, TYP SB-M/8