
# **TUNGSRAM**

Innovation is our heritage EST. 1896









PAR 64 CP95 240V 88510

## **Product information**

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- · Choice of beam widths
- · Excellent colour rendering
- High efficiency combined with low operating costs
- · Robust and reliable
- UV control
- Easy retrofit
- · Colour consistent throughout life
- · Colour blends with halogen and fluorescent

#### Application areas



Club and Disco







## Product data

Light Center Length [mm]	80
Product Code	88510
Bulb Shape	PAR
Bulb Diameter [mm]	204
Maximum Overall Length [mm]	150
Net weight per piece [g]	833
Gross weight per piece [g]	1072
Brand	GE Lighting
Cap/Base	GX16d

## Performance data

Nominal/ Rated Beam Angle [°]	60
Nominal center beam candlepower (CBCP) [cd]	15000
Rated Lumens [lm]	15200
Weighted energy consumption [kWh/1000h]	1000
Useful lumens (at 90° cone) [lm]	15200
Energy efficiency class (EEC)	В
Rated Life [h]	300
Nominal correlated colour temperature (CCT) [K]]	3200
Colour Rendering Index (CRI) [Ra]	100

#### Electrical data

Rated power [W]	1000.0
Coil type	C-13
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	1000
Nominal lamp voltage [V]	240



## Logistic data

DUN Code	10043168885109
EAN Code	0043168885102
Pack Quantity	6
Layer quantity	24 EUR, 30 UK
Layer quantity EUR	24
Layer quantity UK	30
Pallet quantity EUR (PC)	120
Pallet quantity UK (PC)	150
Outer case size	536 x 391 x 196 (mm)
Product status	Available

Distributed by AMLUX srl, 46042, Castel Goffredo (MN), info@amlux.it, www.amlux.it

