



Hi-Brite

6980Z 1200W G22 80V 10PK

The compact, shock-resistant design of the Hi-Brite lamp series makes it easy to handle and ideal for moving head systems. Also, the compact filament ensures a high beam intensity, which can be used to reduce energy consumption: for example, 1200W can now be used instead of 2500W. In addition, the highly innovative P3 technology, developed by Philips, allows the lamp to be used at higher temperatures in any burning position, which further extends lamp lifetime, reduces lamp replacement costs and ensures consistency of high-quality light output.

Product data

General Information				
Cap-Base	G22 [G22]			
Philips Code	6980Z			
ANSI Code	-			
Operating Position	UNIVERSAL [Any or Universal (U)]			
Main Application	Entertainment			
Life To 50% Failures (Nom)	200 h			
System Description	P3 Technology			
Light Technical				
Luminous Flux (Rated) (Nom)	36000 lm			
Correlated Color Temperature (Nom)	3250 K			
Color Rendering Index (Nom)	-			
Operating and Electrical				
Power (Rated) (Nom)	1200 W			
Voltage (Nom)	80 V			


Yes			
Clear			
Bi-Plane			
12.0x10.5			
500 °C			
871150051946725			
6980Z 1200W G22 80V 10PK			
8711500519467			
924546528928			
1			
10			
924546528928			

Datasheet, 2017, March 21 data subject to change

Hi-Brite

Net Weight (Piece)	0.088 kg

Dimensional drawing



Product	D	н	w	L	С
6980Z 1200W G22 80V 10PK	25 mm	10.2 mm	11.7 mm	63.5 mm	140 mm

