



Single Ended Halogen T27 230-240V 88469

Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs -Chromised seal protection up to 500° C.

Application areas



(F) Theatre











Product data

Bulb Shape Tu	ubular
Bulb Diameter [mm]23	3
Maximum Overall Length [mm] 89	9
Light Center Length [mm] 46	6.5
Net weight per piece [g] 24	4
Gross weight per piece [g] 35	5
Brand Ge	eneral Electric (GE)
Cap/Base GY	Y9.5

Performance data

Weighted energy consumption [kWh/1000h]	648.58
Energy efficiency class (EEC)	С
Rated Life [h]	400
Nominal correlated colour temperature (CCT) [K]]	3050
Nominal lumens [lm]	14500
Colour Rendering Index (CRI) [Ra]	100

Electrical data

Coil type	C-13D
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	650
Nominal lamp voltage [V]	230





Logistic data

N Code	10043168884690
N Code	0043168884693
ck Quantity	24
er quantity	504 EUR, 600 UK
er quantity EUR	504
er quantity UK	600
let quantity EUR (PC)	4032
let quantity UK (PC)	4800
ter case size	170 x 255 x 130 (mm)
duct status	Available

Downloads & Links Go to the catalog site (HTTP) Entertainment Solution Spectrum Catalogue (PDF) Lighting design tools & calculators (HTTP) High-res images / Technical drawings (HTTP) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

Disclaimer

Special Purpose Lamp, Not suited for household illumination