



PAR 36 4594 28.0V **24891**

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas









Product data

Product Code	24891
Bulb Shape	PAR
Bulb Diameter [mm]	114.3
Maximum Overall Length [mm]	70
Net weight per piece [g]	233
Gross weight per piece [g]	251
Brand	General Electric (GE)
Cap/Base	Screw terminal

Performance data

Nominal beam angle [°]	19
Nominal center beam candlepower (CBCP) [cd]	70000

Electrical data

Lamp Current [A]	3.57
Coil type	CC-6
Ballast Required	Yes
Nominal power [W]	100
Nominal lamp voltage [V]	28





Logistic data

Pack Quantity12Layer quantity144 EUR, 192 UKLayer quantity EUR144Layer quantity UK192Pallet quantity EUR (PC)432Pallet quantity UK (PC)576	
Layer quantity EUR144Layer quantity UK192Pallet quantity EUR (PC)432	
Layer quantity UK192Pallet quantity EUR (PC)432	
Pallet quantity EUR (PC) 432	
Pallet augntity LIK (PC) 576	
Outer case size 311 × 226 × 313 (mm)	
Product status Available	

Downloads & Links Go to the catalog site (HTTP) Entertainment Solution Spectrum Catalogue (PDF) Lighting design tools & calculators (HTTP) High-res images / Technical drawings (HTTP) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

Disclaimer

Special Purpose Lamp, Not suited for household illumination